

PALM INTRANET

Day: Friday Date: 3/4/2005 Time: 10:20:53

Inventor Name Search Result

Your Search was:

Last Name = HOWARD First Name = RICHARD

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------|---------------|--------|------------|--|-----------------------|
| 08120949 | 5366767 | 150 | 09/14/1993 | COMPOSITION AND METHOD FOR PREVENTING MOSS GROWTH ON ROOFS | HOWARD, RICHARD |
| 08342757 | 5589229 | 250 | 11/21/1994 | COMPOSITION AND METHOD FOR PREVENTING MOSS GROWTH ON ROOFS | HOWARD, RICHARD |
| 29169010 | D489931 | 150 | 10/11/2002 | COFFEE MAKER | HOWARD, RICHARD |
| 10919057 | Not Issued | 030 | 08/16/2004 | GUIDE SYSTEM FOR A GLASS RACK STAKE | HOWARD, RICHARD A. |
| 06180603 | 4373726 | 150 | 08/25/1980 | AUTOMATIC GAMING SYSTEM | HOWARD, RICHARD A. |
| 10459237 | Not Issued | 030 | 06/11/2003 | CYLINDRICAL MEMBER MAINTENANCE DEVICE | HOWARD, RICHARD D. |
| 10919720 | Not Issued | 020 | 08/17/2004 | METHOD, SYSTEM AND PROGRAM PRODUCT FOR DETERRING CREDIT FRAUD | HOWARD, RICHARD D. |
| 09544189 | 6196353 | 150 | 04/06/2000 | LADDER LEVELING ACCESSORY | HOWARD, RICHARD E. |
| 06137602 | 4284689 | 150 | 04/07/1980 | LIGHT-ABSORBING MATERIALS | HOWARD, RICHARD E. |
| 06173388 | 4342924 | 150 | 07/29/1980 | NONHYSTERETIC JOSEPHSON JUNCTION CIRCUITS WITH FEEDBACK | HOWARD, RICHARD E. |
| 06178900 | 4370359 | 150 | 08/18/1980 | FABRICATION TECHNIQUE FOR JUNCTION DEVICES | HOWARD, RICHARD E. |
| 06212976 | 4326911 | 150 | | REACTIVE ION ETCHING OF III-V COMPOUNDS INCLUDING INP,GAAS-INP AND GAALAS | HOWARD, RICHARD E |
| 06218089 | 4344816 | | | SELECTIVELY ETCHED BODIES | HOWARD, RICHARD E. |
| 06248267 | 4352870 | 150 | 03/27/1981 | HIGH RESOLUTION TWO- | HOWARD, |

| | j | | | LAYER RESISTS | RICHARD E. |
|----------|---------------|-----|------------|--|-----------------------|
| 06299172 | 4422159 | 150 | | OPTICAL INFORMATION STORAGE AND RETRIEVAL | HOWARD, RICHARD E. |
| 06333433 | 4428761 | 150 | 11 | LITHOGRAPHIC METHOD OF MAKING OPTICAL FIBERS | HOWARD, RICHARD E. |
| 06448646 | Not Issued | 161 | 12/10/1982 | SEMICONDUCTOR DEVICE WITH INTRINSIC CASCODE JFET | HOWARD, RICHARD E. |
| 06450250 | Not Issued | 161 | 08/03/1984 | REPOSITORY FOR MECHANICAL LOCK KEY(S) BY ELECTRONIC CONTROLLED ACCESS | HOWARD, RICHARD E. |
| 06461965 | 4575187 | 150 | 01/28/1983 | OPTICAL FIBER WITH EMBEDDED METAL LAYER | HOWARD, RICHARD E. |
| 06464059 | 4515436 | 150 | 02/04/1983 | SINGLE-MODE SINGLE- POLARIZATION OPTICAL FIBER | HOWARD, RICHARD E. |
| 06487248 | 4550249 | 150 | 04/21/1983 | OPTICAL DISC READ/WRITE APPARATUS | HOWARD, RICHARD E. |
| 06490328 | Not Issued | 166 | 05/02/1983 | FRESNEL LENS FABRICATION | HOWARD, RICHARD E. |
| 06493725 | Not Issued | 166 | | ION IMPLANTED STRUCTURES | HOWARD, RICHARD E. |
| 06495064 | Not Issued | 161 | 05/13/1983 | MASK STRUCTURE FOR VACUUM ULTRAVIOLET LITHOGRAPHY | HOWARD, RICHARD E. |
| 06498906 | Not Issued | 161 | | RESIST FOR VACUUM ULTRAVIOLET LITHOGRAPHY | HOWARD, RICHARD E. |
| 06671039 | Not Issued | 166 | 11/15/1984 | FRESNEL LENS FABRICATION | HOWARD, RICHARD E. |
| 06695806 | Not Issued | 166 | 01/28/1985 | INTEGRATED ELECTRONICS SUITABLE FOR OPTICAL COMMUNICATIONS | HOWARD, RICHARD E. |
| 06737912 | 4643752 | 150 | 05/28/1985 | FRESNEL LENS FABRICATION | HOWARD, RICHARD E. |
| 06763209 | 4645523 | 150 | 08/07/1985 | FRESNEL LENS FABRICATION | HOWARD, RICHARD E. |
| 06796085 | 4760437 | 150 | 01/03/1986 | NEURAL NETWORKS | HOWARD, RICHARD E. |
| 06851234 | 4755963 | 150 | 04/14/1986 | HIGHLY PARALLEL COMPUTATION NETWORK WITH MEANS FOR REDUCING THE ALGEBRAIC DEGREE OF | HOWARD, RICHARD E. |

| | | | | THE OBJECTIVE FUNCTION | ı |
|-----------------|---------------|-----|------------|--|-----------------------|
| 06912151 | Not Issued | 166 | | ION IMPLANTED STRUCTURES | HOWARD, RICHARD E. |
| 06946828 | 4859375 | 150 | 12/29/1986 | CHEMICAL REFILL SYSTEM | HOWARD, RICHARD E. |
| 06947529 | Not Issued | 161 | 12/29/1986 | METALIZED VALVE | HOWARD, RICHARD E. |
| 06947913 | 4851821 | 150 | 12/29/1986 | DISPOSABLE CHEMICAL CONTAINER | HOWARD, RICHARD E. |
| 07004595 | Not Issued | 161 | 01/20/1987 | | HOWARD, RICHARD E. |
| 07038793 | Not Issued | 001 | 04/09/1987 | | HOWARD, RICHARD E. |
| 07083873 | 4745449 | 150 | 08/07/1987 | INTEGRATED ELECTRONICS SUITABLE FOR OPTICAL COMMUNICATIONS | HOWARD, RICHARD E. |
| 07089296 | Not Issued | 168 | 08/25/1987 | ROBUST SUPERCONDUCTORS | HOWARD, RICHARD E. |
| 07122870 | 4875183 | 150 | 11/19/1987 | NEURAL NETWORKS | HOWARD, RICHARD E. |
| <u>07126052</u> | Not Issued | 168 | 11/27/1987 | ROBUST SUPERCONDUCTORS | HOWARD, RICHARD E. |
| 07169209 | Not Issued | 166 | 03/16/1988 | ROBUST SUPERCONDUCTORS | HOWARD, RICHARD E. |
| 07288338 | Not Issued | 166 | 12/20/1988 | IMAGE SKELETONIZATION METHOD | HOWARD, RICHARD E. |
| 07288339 | Not Issued | 166 | 12/20/1988 | IMAGED SYMBOL CLASSIFICATION | HOWARD, RICHARD E. |
| 07289289 | 5093803 | 150 | 12/22/1988 | ANALOG DECISION NETWORK | HOWARD, RICHARD E. |
| <u>07317065</u> | Not Issued | 161 | 02/24/1989 | ION IMPLANTED STRUCTURES | HOWARD, RICHARD E. |
| 07327281 | 4979643 | 150 | 03/22/1989 | | HOWARD, RICHARD E. |
| 07359245 | 4966207 | 150 | 05/31/1989 | DISPOSABLE CHEMICAL CONTAINER | HOWARD, RICHARD E. |
| 07444455 | 5067164 | 150 | 11/30/1989 | HIERARCHICAL CONSTRAINED AUTOMATIC LEARNING NEURAL NETWORK FOR CHARACTER RECOGNITION | HOWARD, RICHARD E. |
| <u>07472991</u> | 5058179 | 250 | | HIERARCHICAL CONSTRAINED AUTOMATIC LEARNING NETWORK FOR | HOWARD, RICHARD E. |

| | CHARACTER RECOGNITION | |
|----------------------------|-----------------------|--------|
| Search and Display More Ro | ecords. | |
| Search Another: Inventor | Last Name First Name | |
| Search Another: Inventor | Howard Richard | Search |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



PALM INTRANET

Day: Friday Date: 3/4/2005 Time: 10:21:02

Inventor Name Search Result

Your Search was:

Last Name = HOWARD First Name = RICHARD

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|----------------|--------|------------|--|--------------------------|
| <u>07663284</u> | Not Issued | 166 | 02/28/1991 | ROBUST SUPERCONDUCTORS | HOWARD, RICHARD E. |
| 07799694 | Not Issued | 166 | 11/25/1991 | ROBUST SUPERCONDUCTORS | HOWARD, RICHARD E. |
| <u>07814956</u> | <u>5224179</u> | 150 | | IMAGE SKELETONIZATION METHOD | HOWARD, RICHARD E. |
| <u>07814957</u> | Not Issued | 161 | 12/30/1991 | | HOWARD, RICHARD E. |
| 07896132 | 5308447 | 150 | 06/09/1992 | ENDPOINT AND UNIFORMITY DETERMINATIONS IN MATERIAL LAYER PROCESSING THROUGH MONITORING MULTIPLE SURFACE REGIONS ACROSS THE LAYER | HOWARD, RICHARD E. |
| 08000857 | 5265143 | 150 | 01/05/1993 | | HOWARD, RICHARD E. |
| 08121977 | Not Issued | 161 | 09/15/1993 | ROBUST SUPERCONDUCTORS | HOWARD, RICHARD E. |
| <u>08340931</u> | Not Issued | 161 | 11/17/1994 | NEURAL NETWORKS FOR OPTICAL CHARACTER RECOGNITION | HOWARD, RICHARD E. |
| <u>09651696</u> | Not Issued | 041 | 08/30/2000 | ON-CHIP VACUUM TUBE DEVICE AND PROCESS FOR MAKING DEVICE | HOWARD, RICHARD EDWIN |
| 07426621 | Not Issued | 161 | 10/24/1989 | WATER SEPARATOR | HOWARD, RICHARD G. |
| <u>07102949</u> | Not Issued | 161 | 09/30/1987 | REAL-TIME STABILIZED RASTER-SCAN IMAGING SYSTEM UTILIZING PASSIVE 3-MM WAVELENGTH RADIOMETER SENSOR | HOWARD, RICHARD J |
| | | | | | |

| 07410522 | Not Issued | 164 | 09/22/1989 | | HOWARD, RICHARD J. |
|-----------------|---------------|-----|------------|---|-----------------------|
| 07536918 | Not Issued | 161 | II I | FUNGAL ADHESIVE AND PROCESS OF PURIFICATION | HOWARD, RICHARD J. |
| 07842661 | 5264569 | 150 | II I | | HOWARD, RICHARD J. |
| 09543295 | 6392812 | 150 | 04/05/2000 | HEAD UP DISPLAYS | HOWARD, RICHARD K. |
| 06242610 | 4395088 | 150 | 03/11/1981 | COLOUR SELECTIVE FILTERS | HOWARD, RICHARD K. |
| 06828852 | Not Issued | 161 | 02/12/1986 | HOLOGRAMS | HOWARD, RICHARD K. |
| 06833725 | 4707054 | 150 | 02/26/1986 | APPARATUS AND METHOD FOR MAKING A REFLECTION HOLOGRAM | HOWARD, RICHARD K. |
| 07022879 | Not Issued | 161 | 02/24/1987 | HEAD-UP DISPLAYS | HOWARD, RICHARD K. |
| 07027885 | 4863225 | 150 | II I | REFLECTION HOLOGRAMS FORMED BY SCANNING | HOWARD, RICHARD K. |
| 07303690 | Not Issued | 089 | 01/18/1989 | HEAD-UP DISPLAYS | HOWARD, RICHARD K. |
| 07316025 | Not Issued | 161 | 02/27/1989 | FREQUENCY SELECTIVE OPTICAL FILTERS | HOWARD, RICHARD K. |
| 06720799 | Not Issued | 164 | 04/08/1985 | CHAIN PUZZLE | HOWARD, RICHARD L. |
| <u>07594181</u> | Not Issued | 161 | 10/05/1990 | PUZZLE CHAIN TO INTERLOCK AND UNLOCK CHAIN THROUGH HOOP WITHOUT MECHANICAL FORCE OR MODIFICATION OF THE LINKS THEREOF | HOWARD, RICHARD L. |
| <u>29208793</u> | Not Issued | 019 | 07/02/2004 | HANDHELD DEVICE HOUSING | HOWARD, RICHARD P. |
| 07484889 | 5021049 | 150 | 02/26/1990 | NEEDLE SHEATH HOLDER WITH SEEPAGE PRECLUDING ZONES | HOWARD, RICHARD S. |
| 09228070 | 6091345 | 150 | 12/10/1998 | SYNCHRONIZED TARGET SUBSYSTEM FOR AUTOMATED DOCKING SYSTEMS | HOWARD, RICHARD T |
| 09439465 | Not Issued | 161 | 11/09/1999 | FOUR-IMAGE DISPLAY | HOWARD, RICHARD T |
| 09967833 | 6778180 | 150 | 09/28/2001 | VIDEO IMAGE TRACKING ENGINE | HOWARD, RICHARD T. |

| 10138887 | 6658329 | 150 | | VIDEO GUIDANCE SENSOR SYSTEM WITH LASER RANGEFINDER | HOWARD, RICHARD T. |
|----------|---------------|-----|------------|---|-----------------------|
| 10340380 | 6662572 | 150 | | SOLAR POWERED AUTOMOBILE INTERIOR CLIMATE CONTROL SYSTEM | HOWARD, RICHARD T. |
| 10456141 | Not Issued | 161 | | LASER RANGE FINDER WITH BEARING MEASUREMENT OUTPUT | HOWARD, RICHARD T. |
| 10615369 | Not Issued | 093 | 07/03/2003 | CONTROL METHOD FOR VIDEO GUIDANCE SENSOR SYSTEM | HOWARD, RICHARD T. |
| 10631220 | Not Issued | 071 | | FIBER COUPLED LASER DIODES WITH EVEN ILLUMINATION PATTERN | HOWARD, RICHARD T. |
| 10646000 | Not Issued | 041 | 08/21/2003 | VIDEO GUIDANCE SENSOR SYSTEM WITH INTEGRATED RANGEFINDING | HOWARD, RICHARD T. |
| 07481537 | 5109345 | 150 | 02/20/1990 | CLOSED-LOOP AUTONOMOUS DOCKING SYSTEM | HOWARD, RICHARD T. |
| 07481538 | 5020876 | 150 | 02/20/1990 | STANDARD REMOTE MANIPULATOR SYSTEM DOCKING TARGET AUGMENTATION FOR AUTOMATED DOCKING | HOWARD, RICHARD T. |
| 08283728 | 5490075 | 150 | 08/01/1994 | GLOBAL POSITIONING SYSTEM SYNCHRONIZED ACTIVE LIGHT AUTONOMOUS DOCKING SYSTEM | HOWARD, RICHARD T. |
| 08970364 | 5963733 | 150 | 11/14/1997 | METHOD AND SYSTEM FOR SIMULATING FOREST MANAGEMENT | HOWARD, RICHARD T. |
| 09228033 | 6227495 | 150 | 12/10/1998 | SYNCHRONIZED AUTONOMOUS DOCKING SYSTEM | HOWARD, RICHARD T. |
| 09228071 | 6254035 | 150 | 12/10/1998 | SYNCHRONIZED DOCKING SYSTEM | HOWARD, RICHARD T. |
| 09280141 | 6041173 | 150 | 03/26/1999 | SYSTEM AND METHOD FOR SIMULATING FOREST MANAGEMENT | HOWARD, RICHARD T. |
| 60031826 | Not Issued | 159 | 11/26/1996 | METHOD AND SYSTEM FOR SIMULATING FORESTRY MANAGEMENT | HOWARD, RICHARD T. |

Inventor Search Completed: No Records to Display.

| | | Last Name | First Name | |
|-----------------|----------|-----------|------------|--------|
| Search Another: | Inventor | Howard | Richard | Search |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|--------|---|---|---------------------|---------|------------------|
| L1 | 4 | "631220".ap. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 10:59 |
| L2 | 17084 | (fiber with (lens lenses diffract\$3) with (tip end)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 16:00 |
| L3 | 426334 | (uniform\$3 even\$3 constant\$3 flat\$4 consistent\$3 homogenous\$3) near7 (pattern intensity image illuminat\$3 irradiat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2005/03/04 11:47 |
| L4 | 3141 | L2 and L3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 11:05 |
| L5 | 281 | L4 and ((photoinscript\$3 lithograph\$3 etch\$3 mold\$3 cutt\$4) near7 (lens lenses diffract\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 11:34 |
| L6 | 66 | L5 and (multimode multi-mode) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 11:34 |
| L7 | 687 | (fiber with (microlens microlenses micro-lens micro-lenses) with (tip end)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 11:47 |
| L8 | 426334 | (uniform\$3 even\$3 constant\$3 flat\$4 consistent\$3 homogenous\$3) near7 (pattern intensity image illuminat\$3 irradiat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 16:03 |

| | | | l | | | 7 |
|-----|-----|---|---|----|----|------------------|
| L9 | 100 | L7 and L8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 14:24 |
| L10 | 87 | L9 NOT (L5 L6) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 14:25 |
| L11 | 487 | (fiber with (Fresnel) with (tip end)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 14:25 |
| L12 | 78 | L8 and L11 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 14:37 |
| L13 | 87 | L10 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 14:26 |
| L14 | 78 | L12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 14:46 |
| L15 | 72 | (fiber with (lens lenses diffract\$3) with (tip end)) same (uniform\$3 even\$3 constant\$3 flat\$4 consistent\$3 homogenous\$3) near7 (pattern intensity image illuminat\$3 irradiat\$4) same (laser LED) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 14:59 |
| L16 | 16 | (fiber with (lens lenses diffract\$3) with (tip end)) same (uniform\$3 even\$3 constant\$3 flat\$4 consistent\$3 homogenous\$3) near7 (project\$3) same (laser LED) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 14:50 |

| L17 | 72 | L15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 14:54 |
|-----|------|---|---|------|----|------------------|
| L18 | 401 | (fiber with (lens lenses diffract\$3) with (tip end)) same (uniform\$3 even\$3 constant\$3 flat\$4 consistent\$3 homogenous\$3) near7 (pattern intensity image illuminat\$3 irradiat\$4 project\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 15:00 |
| L19 | 38 | L18 and (multimode multi-mode) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 15:04 |
| L20 | 16 | ("4733937" "4846552" "5113286" "5148317" "5581683" "5718496" "5859945" "5891747" "5973730" "6025938" "6072631" "6157756" "6294665" "6313948" "6394665" "0060721").PN. | US-PGPUB; USPAT | OR · | ON | 2005/03/04 15:14 |
| L21 | 614 | (fiber with (homogen\$6) with (tip end)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 15:17 |
| L22 | 79 | L21 and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 15:21 |
| L24 | 9484 | 385/37,119,123-128.ccls. 362/551,558.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 16:00 |
| L25 | 1094 | L24 and (fiber with (lens lenses fresnel diffract\$3) with (tip end output)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 16:00 |

| L26 | 243 | L25 and (uniform\$3 even\$3 constant\$3 flat\$4 consistent\$3 homogenous\$3) near7 (pattern intensity image illuminat\$3 irradiat\$4 project\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 16:33 |
|-----|-----|--|---|----|----|------------------|
| L27 | 851 | L25 not L26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 19:02 |
| L28 | 191 | L27 and (multi-mode multimode) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 16:52 |
| S1 | 4 | "631220".ap. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 10:27 |